KANSAS FLINT HILLS LIMESTONE



SUNSET STONE COMPANY


PRODUCT CATALOG ◆ 2027

Natural Stone, *Built to Last*

LEDGE STONE · MILLED STONE · SUNDOWN LEDGE · CATHEDRAL LEDGE · STEPS

THE STONE

Quarried in the Flint Hills. *Never blasted.*



Sunset Stone Company quarries limestone in the Kansas Flint Hills and finishes it at the quarry and at our processing yard. Every block is graded by hand, weighed on a certified scale and shipped by the truckload across the Midwest and beyond.

Why no blasting matters. Many quarries use explosives to break rock loose. Blasting sends shockwaves through the whole ledge and leaves microfractures hidden inside the stone. You cannot see them on delivery day, but water finds them, freezes and pries the stone apart winter after winter. We extract every block mechanically, so the stone you receive is as sound as the stone we tested.

We supply landscape supply yards, dealers, hardscape and excavation contractors, engineers, municipal projects and builders of high-end homes.

CONTENTS

01 Premium Ledge Stone 3

02 Milled Ledge Stone 4

03 Milled with Sawn Ends 5

04 Sundown Ledge 6

05 Cathedral Ledge 7

06 Steps & Slabs 8

Gallery, Specs & Ordering 9–11

TESTED PERFORMANCE

12,820 PSI AVG. COMPRESSIVE STRENGTH	**1,932** PSI MODULUS OF RUPTURE
0.3% WATER ABSORPTION	**2.62** SPECIFIC GRAVITY

Independent laboratory testing, Kansas City Testing & Engineering. Results are sample averages.

THE TIERS

Ranch	Sundown Ledge	Natural quarry faces, irregular shapes, 10–30″ beds
Estate	Premium Ledge Stone	Hand-selected, consistent 18–24″ beds, clean faces
Signature	Single-Sided Milled	One bed milled flat. Costs less than double-sided.
Heirloom	Double-Sided Milled	Beds milled flat for a true, level course


A plus sign (Ranch+, Estate+, Signature+, Heirloom+) means sawn tapered-back ends, for tighter joints and faster installs. Returns are finished with a natural end.

THE COLLECTION

01 Premium Ledge Stone

Our 14″ block and our most popular wall stone, coast to coast.





PREMIUM LEDGE STONE

14″ Premium Natural Tan

Every block is hand-selected at the quarry for a consistent bed depth and a clean, weathered natural face in warm buff tan, so courses stay level and the wall reads as one piece from the street. Wides and Skinnies are available on request.

RETAINING WALLS · SEAT WALLS · ENTRIES & COLUMNS · POND EDGING

HEIGHT	14″ ±1″
BED DEPTH	18–24″
LENGTHS	3–7′
COVERAGE	7.2 sq ft · 6.5 lin ft / ton
OPTIONS	Sawn ends · Wides · Skinnies





PREMIUM LEDGE STONE

14″ Premium Gray Horizon

Cooler split-gray tones with crisp lines, from the same ledge. Order it alone, or as a 50/50 blend with Natural Tan for a varied, natural wall. All three can be mixed on the same project.


POOL SURROUNDS · MODERN ARCHITECTURE

HEIGHT	14″ ±1″
BED DEPTH	18–24″
LENGTHS	3–7′
COVERAGE	7.2 sq ft · 6.5 lin ft / ton
COLORS	Gray Horizon · 50/50

THE COLLECTION

02 Milled Ledge Stone

Milled flat on the beds for a true, level course. The face is never milled; it stays natural.





MILLED LEDGE STONE

Double-Sided Milled

Premium block with the top and bottom beds milled flat and parallel to a uniform 12¾″. Every course is the same height, so the wall stacks flat and fast with tight horizontal joints and no shimming. Installers tell us a milled wall goes up noticeably faster, which offsets much of the milling cost in labor.

FEATURE WALLS | FAST INSTALLS | OUTDOOR KITCHENS | TIERED WALLS

HEIGHT	12¾″ ±¼″
BED DEPTH	18–24″
LENGTHS	3–7′
COLORS	Natural Tan · Gray Horizon · 50/50
ENDS	Natural or sawn





MILLED LEDGE STONE

Single-Sided Milled

One bed milled flat, the other left natural: a true bearing surface where it counts. Made for cap courses and walls where only one bed needs to be level. Available on Premium and on Sundown Ledge.

MILLING	One bed milled flat
BED DEPTH	Per grade
LENGTHS	Per grade
COLORS	Natural Tan · Gray Horizon · 50/50
ENDS	Natural or sawn

THE COLLECTION

03 Milled with Sawn Ends

The most finished wall stone we make: milled beds and tapered-back sawn ends.



MILLED LEDGE STONE

Hairline joints, dead-straight courses

Every block is milled top and bottom to 12¾″, then both ends are sawn tapered back, so vertical joints close as tightly as the horizontal ones. The face stays a natural split Natural Tan, Gray Horizon or 50/50, so the wall still reads as real quarried limestone, laid with the precision of a cut-stone job.

Where sawn ends go. Sawn-end stone belongs in the field of the wall where two stones meet. Finish wall returns, exposed ends and stair ends with natural-end stone so nothing sawn is left showing. Tell us the wall layout and we will split the tonnage.

HEIGHT	12¾″ ±¼″
BED DEPTH	18–24″
FINISH	Milled beds, sawn ends, natural face
SAWN AT	Quarry or processing yard






THE COLLECTION

04 Sundown Ledge

Big Kansas wall stone with natural quarry faces.



INTRODUCING


Built for walls that should look like they have always been there.

Sundown Ledge is a large, machine-set wall stone with natural quarry faces and irregular shapes. It comes from the same Kansas limestone ledge as our premium wall stone, with the same strength and freeze-thaw durability, and a more rugged, natural profile.

HEIGHT	14″
BED DEPTH	10–30″
LENGTHS	3–6′
COVERAGE	6.5 sq ft · 6 lin ft / ton
COLORS	Tan · Gray
OPTION	Single-sided milled at the quarry

BUILT FOR

- Retaining and terrace walls
- Shoreline and erosion walls
- Seat walls
- Ranch, farm and estate entries





THE COLLECTION

05 Cathedral Ledge

A fine-grained, warm tan limestone with a refined finish.





CATHEDRAL LEDGE

Sawn Landscape Block

Sawn top and bottom to a uniform height for a crisp, architectural line, with a natural limestone face. Ideal for caps, seat walls, accent bands, column wraps and formal landscapes.

CAPS & SEAT WALLS | ACCENT BANDS | FORMAL LANDSCAPES

HEIGHTS	18″, 14″ or 9″ (±¼″)
BED DEPTH	18″ ±2″
LENGTHS	3–8′
FINISH	Sawn top and bottom
COLOR	Warm tan





CATHEDRAL LEDGE

Cathedral Wall Block

Natural and split-face wall block in 9″ and 18″ heights. Nine-inch block gives more linear feet of wall per ton and suits terraces, borders and tighter spaces; 18″ block builds big, bold walls. Premium grades are selected for tighter beds and a cleaner face.


TERRACES & BORDERS | GARDEN WALLS | STEP CHEEK WALLS

HEIGHTS	9″ or 18″ (±2″)
BED DEPTH	18–36″ (premium 18–26″)
LENGTHS	3–8′ natural · 3–6′ split
FACE	Natural or split
COLOR	Warm tan

THE COLLECTION

06 Steps & Slabs

The pieces that finish a project: stairs, landings and statement stone.





STEPS

Limestone Steps

One-piece limestone steps: no forms, no pour, set it and walk on it. Each step has a sawn bottom so it sits true, with a natural weathered top or a sawn top for a clean, modern look. Priced per piece by length.

7″ GRAY	Natural top, sawn bottom
7″ LIGHT GRAY/TAN	Step tread
6″ × 18″ CATHEDRAL	Sawn top and bottom
6″ × 20″ ROUGHBACK	Natural top, sawn bottom
LENGTHS	3–6′, longer on request



STATEMENT STONE

Quarry Slabs

The biggest pieces we pull: single stones up to 14 feet long. Used for creek crossings and small bridges, waterfall and pond rock, benches, signs and monuments. Tell us the span you need and what you will unload with.

SIZE	4–14′ long × 4–8′ wide
THICKNESS	9″, 14″, 18″ or 36″
SOLD BY	The ton

PROJECT GALLERY

Walls Built with Our Stone

Residential, estate and commercial projects across the Midwest.




MILLED NATURAL TAN, SAWN ENDS, ESTATE TERRACE



MILLED GRAY HORIZON, SAWN ENDS, CURVED WALL



PREMIUM GRAY HORIZON, POOL SURROUND



PREMIUM NATURAL TAN, CURVED WALL AND WALKWAY



MILLED GRAY HORIZON, PATIO AND FIRE-PIT WALL



SUNDOWN LEDGE NATURAL TAN, BORDER WALL

REFERENCE

Specifications at a Glance

Natural stone varies piece to piece. Dimensions are nominal.

PRODUCT	HEIGHT	BED DEPTH	LENGTHS	COVERAGE PER TON	FINISH
Premium Ledge Stone	14″ ±1″	18–24″	3–7′	7.2 sq ft · 6.5 lin ft	Natural face
Double-Sided Milled	12¾″ ±¼″	18–24″	3–7′	7.2 sq ft · 6.5 lin ft	Beds milled
Single-Sided Milled	One bed milled	Per grade	Per grade	Per grade	One bed milled
Milled with Sawn Ends	12¾″ ±¼″	18–24″	3–7′	7.2 sq ft · 6.5 lin ft	Milled, sawn ends
Sundown Ledge	14″	10–30″	3–6′	6.5 sq ft · 6 lin ft	Natural quarry face
Cathedral Sawn 18×18	18″ ±¼″	18″ ±2″	3–8′	8.9 sq ft · 5.9 lin ft	Sawn top & bottom
Cathedral Sawn 14×18	14″ ±¼″	18″ ±2″	3–8′	8.4 sq ft · 7.6 lin ft	Sawn top & bottom
Cathedral Sawn 9×18	9″ ±¼″	18″ ±2″	3–8′	7.9 sq ft · 11.9 lin ft	Sawn top & bottom
Cathedral 9″ Wall Block	9″ ±2″	18–36″	3–8′	7.6 sq ft · 9.7 lin ft	Natural or split
Cathedral 18″ Wall Block	18″ ±2″	18–36″	3–8′	3.6–4.8 lin ft	Natural or split
Steps	6″ or 7″ rise	18–20″	3–6′	By the piece	Natural or sawn top
Quarry Slabs	9–36″	4–8′ wide	4–14′	–	Natural

PLANNING A WALL

How much stone do I need?

Divide the face area of the wall (length × height, in square feet) by the coverage per ton. A full truckload is about 24 tons.

EXAMPLE

50′ long × 3′ tall = 150 sq ft

Premium Ledge Stone: 150 ÷ 7.2 ≈ 21 tons, one truckload

WORKING WITH US

Ordering & Delivery

From your sketch to your site, by the truckload.

1

Tell us the project

Wall, steps or slabs. Rough sizes are fine; we do the tonnage math with you.

2

Get your number

Stone plus freight to your ZIP, usually by the next business day.

3

We load and ship

Hand-selected stone on a 24-ton flatbed. The driver calls ahead before arrival.

4

Track it online

Follow your loads in the customer portal, from our gate to your ground.

DELIVERY

TRUCKLOAD	About 24 tons
LEDGE STONE	Stacked on dunnage
BLOCK WEIGHT	800 to 2,000 lb each
STEPS	Ship on pallets
UNLOADING	Forks or excavator thumb
UNLOAD WINDOW	1.5 hours from arrival

Your site needs room for a full-size flatbed and equipment rated for the heaviest pieces. Time beyond the unloading window may be billed by the carrier.

GOOD TO KNOW

How is billing weight set?

By the certified quarry scale ticket for each load.

Can I mix colors on one wall?

Yes. Natural Tan, Gray Horizon and 50/50 come from the same ledge and mix well.

Can I mix sawn ends with natural ends?

Yes. Sawn tapered-back ends give tighter joints and faster installs, and returns are finished with a natural end.

What about color variation?

Every block is natural stone. Color, texture and size vary piece to piece; that is the character of real limestone.

I.

Graded by Hand

Every block is sorted by grade, color and size at the quarry, so what arrives matches what you ordered.

II.

Certified Weights

You are billed on the certified quarry scale ticket, never an estimate.

III.

Freight Handled

We quote and book the truck to your site, anywhere in the Midwest and beyond.

SUNSET STONE COMPANY

Request a *Quote*

(785) 340-0301

INFO@SUNSETSTONECO.COM

SUNSETSTONECO.COM

QUARRY

KANSAS FLINT HILLS

PRICING IN THE 2027 TRADE PRICE LIST · CUSTOM PRODUCTS ON REQUEST